

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office..... MAY 27 1992

Returned to applicant for correction.....

Corrected application filed..... Map filed..... MAY 27 1992

The applicant Penney C. Robinson, City of Reno, City of Sparks, and Washoe County, by  
and through Westpac Utilities, a division of Sierra Pacific Power Co.

P.O. Box 30028 of Reno  
Street and No. or P.O. Box No. City or Town

Nevada 89520-3028  
State and Zip Code No.

.....hereby make.... application for permission to change the  
Point of Diversion, Manner of Use and Place of Use

of water heretofore appropriated under a portion of Claim No. 618 of the Truckee River Decree,  
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and  
said Decree entered by the District Court of the United States for Nevada in that  
Identify right in Decree.

certain action entitled The United States of America, Plaintiff, vs. Orr Water  
Ditch Company, et al, Defendants, in Equity Docket No. A-3.

1. The source of water is..... Truckee River  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 1.203 c.f.s. not to exceed 123.75 acre feet annually  
Second feet, acre feet. One second foot equals 448.83 gallons per minute.
3. The water to be used for..... Municipal and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for..... As Decreed  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point..... the points of diversion of Sierra's existing  
Describe as being within a 40-acre subdivision of public survey and by course and  
water treatment plants as described in attached Exhibit "A" and shown on the map  
distance to a section corner. If on unsurveyed land, it should be stated. supporting Application Nos. 49886 and 49887  
at the Division of Water Resources, State of Nevada.
6. The existing permitted point of diversion is located within..... the SE $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 8, T.19N., R.20E.,  
If point of diversion is not changed, do not answer.  
M.D.B.&M., at a point from which the Northwest corner of said Section 8 bears N  
22<sup>0</sup> 29' W, a distance of 5,760.00 feet (Glendale Ditch).
7. Proposed place of use..... The certificated water service area of Sierra Pacific Power  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.  
Company as described in the legal description and shown on the supporting map on  
file with the State Engineer's Office, Division of Water Resources.
8. Existing place of use..... 9.3 acres and 22.8 acres in Lot 4 (E $\frac{1}{2}$  NE $\frac{1}{4}$ ) of Section 15, T.19N.,  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
R.20E., M.D.B.&M.; total of 32.10 acres to be stripped.  
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from..... As Decreed to..... of each year.  
Month and Day Month and Day
10. Use was permitted from..... As Decreed to..... of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) Water will be diverted by existing company  
State manner in which water is to be diverted, i.e. diversion structure,  
facilities, treated and placed into the existing distribution system.  
ditches, pipes and flumes, or drilled well, etc. Sierra has invested in excess of \$50 million in its  
water treatment and distribution system.
12. Estimated cost of works.....
13. Estimated time required to construct works..... Completed

14. Estimated time required to complete the application of water to beneficial use..... One year

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

During 1991, Sierra served an average of 54,945 non-duplicate customers and delivered approximately 59,200 acre feet of water. Maximum day delivery was 101.55 million gallons (311.6 acre feet). Westpac is transferring 110.74 acre feet for Penney C. Robinson, 6.38 acre feet for City of Reno, 4.47 acre feet for City of Sparks, and 2.16 acre feet for Washoe County.

William K. Jewett, Agent  
By s/William K. Jewett  
P.O. Box 30028  
Reno NV 89520-3028

Compared..... bc/bc ..... cl/cms

Protested 9/3/92 by; Truckee-Carson Irrigation District:

Pro. Overruled 4/29/97

See Ruling No. 4521

APPROVAL

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use and manner of use of a portion of the waters of the Truckee River as heretofore granted under Claim 618, Truckee River Final Decree is issued subject to the terms and conditions imposed in said decree and with the understanding that no other rights on the source will be affected by the change proposed herein. A suitable measuring device must be installed and accurate measurements of water placed to beneficial use must be kept.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.203 .....cubic feet per second....., but not to exceed 123.75 acre-feet as decreed.

Work must be prosecuted with reasonable diligence and be completed on or before..... N/A

Proof of completion of work shall be filed before..... N/A

Application of water to beneficial use shall be made on or before..... June 25, 1999

Proof of the application of water to beneficial use shall be filed on or before..... July 25, 1999

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No..... Issued.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this..... 25th ..... day of June

A.D. 19..... 97

*R. Michael Turnipseed P.E.*  
State Engineer

**Exhibit "A"**

The following describes the multiple points of diversion for Sierra Pacific Power Company Water Treatment Plants, which are shown on the maps accompanying Application Nos. 49886 and 49887 on file with the State of Nevada, Division of Water Resources, more particularly described as follows:

**STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):**

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE $\frac{1}{4}$ SW $\frac{1}{4}$ ) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

**HIGHLAND DITCH (HIGHLAND RESERVOIR):**

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one-quarter (SW $\frac{1}{4}$ SE $\frac{1}{4}$ ) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

**IDLEWILD TREATMENT PLANT:**

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE $\frac{1}{4}$ SE $\frac{1}{4}$ ) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

**NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):**

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW $\frac{1}{4}$ NE $\frac{1}{4}$ ) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.